



**Dixie Storm
Water Coalition**

St. George, Washington, Ivins, Santa Clara

Storm Water Quality Report – Template

Date: _____

Project Name: _____

Project ID: _____

Design Engineer: _____

Is the project within a watershed that is 303(d) listed? _____

If yes:

Name of receiving water(s): _____

Listed Impairment(s): _____

Does the watershed have an approved TMDL? _____

If yes:

Approved TMDL(s): _____

I have reviewed the storm water quality design and find this report to be complete, accurate, and current.

[name], Project Manager

[name], Designate Storm Water Coordinator

[name], Head of Maintenance

[stamp required at final design phase]

[name], Landscape Architect or Equivalent



Dixie Storm Water Coalition

St. George, Washington, Ivins, Santa Clara

Project Information

Type of Project (New Development, Redevelopment): _____

Area of Land Disturbance (ac): _____

Project Impervious Area (ac): _____

Project Imperviousness (%): _____

Project Volumetric Runoff Coefficient, R_v : _____

80th Storm Depth (in): _____

Project 80th Percentile Volume, V_{goal} (cf): _____

Subsurface Information

Groundwater

Depth to Groundwater (ft): _____

Historical High Depth to Groundwater if known (ft): _____

Source: _____

Groundwater Contamination at Site: _____

Soil Information

Infiltration Rate (in/hr): _____

Hydrologic Soil Group: _____

Source: _____

Soil Contamination at Site: _____

Drinking Water

Within Drinking Water Source Area Protection: _____

Additional Relevant Site Information



Dixie Storm Water Coalition

St. George, Washington, Ivins, Santa Clara

LID Drainage Areas

Add additional rows as needed.

| Contributing Drainage Area | Area (ac) | Impervious Area (ac) | Imperviousness (%) | Volumetric Runoff Coefficient, R_v | Water Quality Volume, WQV (cf) |
|----------------------------|-----------|----------------------|--------------------|--------------------------------------|--------------------------------|
| CDA 1 | | | | | |
| CDA 2 | | | | | |
| CDA 3 | | | | | |
| CDA 4 | | | | | |
| Total WQV (cf) | | | | | |

LID BMP Design

Add additional rows as needed.

| Contributing Drainage Area | LID BMP Type | Water Quality Volume, WQV (cf) | Runoff Retained (cf) | Percent of Runoff Captured (%) |
|----------------------------|--------------|--------------------------------|----------------------|--------------------------------|
| CDA1 | | | | |
| CDA 2 | | | | |
| CDA 3 | | | | |
| CDA 4 | | | | |
| Total Volume Retained (cf) | | | | |

Percent of V_{goal} captured by LID BMPs: _____%

If 100% of V_{goal} is not captured, document and provide narrative of technical infeasibilities and/or alternate compliance measures below:

Describe additional storm water quality measures incorporated into the site:
